

BUILDING DETAIL

SOUTH PORTION

Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

OUTLINE OF PARKING STRUCTURE

18.12

4.28

LANDSCAPED (C) AREA

(LEVEL ONE SEE SHEET 18)

OUTLINE OF TOWER

(LEVEL FOUR SEE SHEET 24)

DRIVE (C) WAY

JOINS TO SHEET 3

OUTLINE OF PARKING STRUCTURE
(LEVEL ONE SEE SHEET 18)
LANDSCAPED (C) AREA

DATED THIS 27th DAY OF
October 1999.

LEGEND

(C) - COMMON PROPERTY

FILE: C:\PK3\11878-2F.DWG

BUILDING DETAIL

NORTH PORTION


Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

TOTAL = 89.88

OUTLINE OF PARKING STRUCTURE

DRIVE © WAY



ROOF ©

TOTAL = 35.75

RECREATIONAL © AREA

(LEVEL TWO SEE SHEET 21)

OUTLINE OF TOWNHOUSES

(LEVEL ONE SEE SHEET 19)

LANDSCAPED © AREA

TOTAL = 63.04

JOINS TO SHEET 2

LEGEND

© - COMMON PROPERTY

FILE: C:\PK3\11878-2F.DWG

STRATA PLAN LMS 4050

DATED THIS 27th DAY OF
October, 1999.

JMB
B.C.L.S.

CONDOMINIUM ACT

STRATA PLAN LMS 4050

SCHEDULES

LOT NUMBER	SHEET NUMBER	FORM 1	FORM 2	FORM 3	USE
		SCHEDULE OF UNIT ENTITLEMENT	SCHEDULE OF INTEREST UPON DESTRUCTION	SCHEDULE OF VOTING RIGHTS	
		UNIT ENTITLEMENT	INTEREST UPON DESTRUCTION	NUMBER OF VOTES	
1	19,27,52	656	2640	1.29	C
2	19,27,52	414	1920	0.81	C
3	19,27,52	416	1920	0.82	C
4	19,27,52	415	1920	0.82	C
5	19,27,52	414	1920	0.81	C
6	19,27,52	413	1920	0.81	C
7	19,27,52	416	1920	0.82	C
8	19,27,52	414	1920	0.81	C
9	18,27,51	436	1920	0.86	C
10	18,27,51	644	2640	1.27	C
11	18,27,51	886	3190	1.74	C
12	21,23,25,52	752	1978	1.00	R
13	21,23,25,52	726	1978	1.00	R
14	21,23,25,52	725	1978	1.00	R
15	21,23,25,52	724	1978	1.00	R
16	21,23,25,52	726	1978	1.00	R
17	21,23,25,52	725	1978	1.00	R
18	21,23,25,52	722	1978	1.00	R
19	21,23,25,52	725	1978	1.00	R
20	21,23,25,52	723	1978	1.00	R
21	20,22,51	684	1848	1.00	R
22	22,51	468	1252	1.00	R
23	22,51	550	1362	1.00	R
24	22,48,51	736	1850	1.00	R
25	22,51	474	1252	1.00	R
26	24,51	468	1263	1.00	R
27	24,51	550	1362	1.00	R
28	24,51	364	1087	1.00	R
29	24,48	583	1582	1.00	R
30	24,48	571	1340	1.00	R
31	24,48	371	1043	1.00	R
32	24,51	583	1504	1.00	R
33	24,51	474	1263	1.00	R
34	26,51	468	1274	1.00	R
35	26,51	555	1379	1.00	R
36	26,51	361	1098	1.00	R
37	26,48	580	1554	1.00	R
38	26,48	464	1315	1.00	R
39	26,48	456	1307	1.00	R
40	26,48	536	1357	1.00	R
41	26,48	371	1085	1.00	R
42	26,51	580	1534	1.00	R
43	26,51	477	1275	1.00	R
44	31,51	470	1285	1.00	R
45	31,51	551	1395	1.00	R
46	31,51	363	1120	1.00	R
47	31,48	580	1615	1.00	R
48	31,48	467	1285	1.00	R
49	31,48	444	1288	1.00	R
50	31,48	545	1375	1.00	R
51	31,48	375	1076	1.00	R
52	31,51	581	1549	1.00	R
53	31,51	476	1285	1.00	R
54	31,51	469	1296	1.00	R
55	31,51	551	1412	1.00	R
56	31,51	364	1113	1.00	R
57	31,48	582	1632	1.00	R
58	31,48	468	1296	1.00	R
59	31,48	445	1296	1.00	R

LEGEND

- C - DENOTES COMMERCIAL
 R - DENOTES RESIDENTIAL

DATED THIS 27th DAY OF
October, 1999.
gmb
 B.C.L.S.

SCHEDULES

LOT NUMBER	SHEET NUMBER	FORM 1	FORM 2	FORM 3	USE
		SCHEDULE OF UNIT ENTITLEMENT	SCHEDULE OF INTEREST UPON DESTRUCTION	SCHEDULE OF VOTING RIGHTS	
		UNIT ENTITLEMENT	INTEREST UPON DESTRUCTION	NUMBER OF VOTES	
60	31,48	548	1390	1.00	R
61	31,48	371	1087	1.00	R
62	31,51	578	1566	1.00	R
63	31,51	478	1296	1.00	R
64	32,51	472	1307	1.00	R
65	32,51	549	1425	1.00	R
66	32,51	363	1114	1.00	R
67	32,48	582	1648	1.00	R
68	32,48	466	1307	1.00	R
69	32,48	445	1307	1.00	R
70	32,48	546	1406	1.00	R
71	32,48	372	1098	1.00	R
72	32,51	581	1582	1.00	R
73	32,51	479	1307	1.00	R
74	32,51	467	1318	1.00	R
75	32,51	549	1445	1.00	R
76	32,51	363	1153	1.00	R
77	32,48	581	1665	1.00	R
78	32,48	467	1318	1.00	R
79	32,48	446	1318	1.00	R
80	32,48	549	1423	1.00	R
81	32,48	372	1109	1.00	R
82	32,51	581	1599	1.00	R
83	32,51	480	1318	1.00	R
84	33,51	471	1329	1.00	R
85	33,51	554	1461	1.00	R
86	33,51	361	1164	1.00	R
87	33,48	578	1681	1.00	R
88	33,48	466	1351	1.00	R
89	33,48	444	1351	1.00	R
90	33,48	548	1461	1.00	R
91	33,48	372	1126	1.00	R
92	33,51	581	1615	1.00	R
93	33,51	483	1329	1.00	R
94	33,50	471	1340	1.00	R
95	33,50	551	1475	1.00	R
96	33,50	361	1175	1.00	R
97	33,47	583	1698	1.00	R
98	33,47	466	1362	1.00	R
99	33,47	445	1362	1.00	R
100	33,47	546	1478	1.00	R
101	33,47	372	1137	1.00	R
102	33,50	579	1632	1.00	R
103	33,50	478	1140	1.00	R
104	34,50	472	1351	1.00	R
105	34,50	550	1494	1.00	R
106	34,50	364	1186	1.00	R
107	34,47	578	1714	1.00	R
108	34,47	467	1375	1.00	R
109	34,47	438	1375	1.00	R
110	34,47	548	1494	1.00	R
111	34,47	372	1148	1.00	R
112	34,50	576	1648	1.00	R
113	34,50	481	1351	1.00	R
114	34,50	481	1362	1.00	R
115	34,50	541	1511	1.00	R
116	34,50	362	1197	1.00	R
117	34,47	579	1731	1.00	R
118	34,47	466	1384	1.00	R

LEGEND

- C — DENOTES COMMERCIAL
 R — DENOTES RESIDENTIAL

DATED THIS 27th DAY OF
October, 1999.
gut
 B.C.L.S.

SCHEDULES

LOT NUMBER	SHEET NUMBER	FORM 1	FORM 2	FORM 3	USE
		SCHEDULE OF UNIT ENTITLEMENT	SCHEDULE OF INTEREST UPON DESTRUCTION	SCHEDULE OF VOTING RIGHTS	
		UNIT ENTITLEMENT	INTEREST UPON DESTRUCTION	NUMBER OF VOTES	
119	34,47	445	1384	1.00	R
120	34,47	547	1511	1.00	R
121	34,47	374	1159	1.00	R
122	34,50	580	1865	1.00	R
123	34,50	477	1362	1.00	R
124	35,50	471	1373	1.00	R
125	35,50	551	1527	1.00	R
126	35,50	362	1208	1.00	R
127	35,47	579	1747	1.00	R
128	35,47	465	1395	1.00	R
129	35,47	437	1395	1.00	R
130	35,47	545	1527	1.00	R
131	35,47	382	1170	1.00	R
132	35,50	579	1681	1.00	R
133	35,50	477	1373	1.00	R
134	35,50	469	1384	1.00	R
135	35,50	554	1544	1.00	R
136	35,50	362	1230	1.00	R
137	35,47	578	1786	1.00	R
138	35,47	467	1406	1.00	R
139	35,47	445	1406	1.00	R
140	35,47	545	1544	1.00	R
141	35,47	373	1181	1.00	R
142	35,50	582	1698	1.00	R
143	35,50	476	1384	1.00	R
144	36,50	470	1401	1.00	R
145	36,50	550	1566	1.00	R
146	36,50	363	1247	1.00	R
147	36,47	580	1808	1.00	R
148	36,47	466	1423	1.00	R
149	36,47	447	1423	1.00	R
150	36,47	546	1566	1.00	R
151	36,47	371	1997	1.00	R
152	36,50	584	1720	1.00	R
153	36,50	476	1401	1.00	R
154	36,50	470	1417	1.00	R
155	36,50	550	1588	1.00	R
156	36,50	363	1263	1.00	R
157	36,47	580	1830	1.00	R
158	36,47	466	1439	1.00	R
159	36,47	447	1439	1.00	R
160	36,47	546	1585	1.00	R
161	36,47	372	1214	1.00	R
162	36,50	582	1742	1.00	R
163	36,50	476	1417	1.00	R
164	37,50	469	1434	1.00	R
165	37,50	547	1610	1.00	R
166	37,50	364	1260	1.00	R
167	37,47	583	1852	1.00	R
168	37,47	464	1456	1.00	R
169	37,47	436	1456	1.00	R
170	37,47	548	1610	1.00	R
171	37,47	370	1230	1.00	R
172	37,50	582	1764	1.00	R
173	37,50	475	1434	1.00	R
174	37,50	469	1450	1.00	R
175	37,50	549	1632	1.00	R
176	37,50	364	1296	1.00	R
177	37,47	579	1674	1.00	R

LEGEND

C — DENOTES COMMERCIAL
 R — DENOTES RESIDENTIAL

FILE: C:\PK3\ST11878-1F.DWG

DATED THIS 27th DAY OF
October, 1999
JMB
 B.C.L.S.

CONDOMINIUM ACT

STRATA PLAN LMS 4050

SCHEDULES

LOT NUMBER	SHEET NUMBER	FORM 1	FORM 2	FORM 3	USE
		SCHEDULE OF UNIT ENTITLEMENT	SCHEDULE OF INTEREST UPON DESTRUCTION	SCHEDULE OF VOTING RIGHTS	
UNIT ENTITLEMENT	INTEREST UPON DESTRUCTION	NUMBER OF VOTES			
178	37,47	466	1472	1.00	R
179	37,47	444	1472	1.00	R
180	37,47	551	1632	1.00	R
181	37,47	372	1247	1.00	R
182	37,50	582	1786	1.00	R
183	37,50	476	1450	1.00	R
184	38,50	469	1467	1.00	R
185	38,50	547	1654	1.00	R
186	38,50	363	1313	1.00	R
187	38,47	581	1907	1.00	R
188	38,47	466	1511	1.00	R
189	38,47	445	1511	1.00	R
190	38,47	550	1654	1.00	R
191	38,47	371	1263	1.00	R
192	38,50	584	1805	1.00	R
193	38,50	477	1467	1.00	R
194	38,50	469	1453	1.00	R
195	38,50	547	1676	1.00	R
196	38,50	365	1329	1.00	R
197	38,47	582	1929	1.00	R
198	38,47	468	1527	1.00	R
199	38,47	418	1527	1.00	R
200	38,47	564	1676	1.00	R
201	38,47	378	1280	1.00	R
202	38,50	584	1830	1.00	R
203	38,50	477	1483	1.00	R
204	39,50	467	1500	1.00	R
205	39,50	550	1698	1.00	R
206	39,50	365	1346	1.00	R
207	39,47	580	1951	1.00	R
208	39,47	466	1544	1.00	R
209	39,47	444	1544	1.00	R
210	39,47	550	1698	1.00	R
211	39,47	372	1296	1.00	R
212	39,50	583	1852	1.00	R
213	39,50	475	1500	1.00	R
214	39,50	467	1518	1.00	R
215	39,50	550	1720	1.00	R
216	39,50	367	1362	1.00	R
217	39,47	578	1973	1.00	R
218	39,47	467	1560	1.00	R
219	39,47	444	1560	1.00	R
220	39,47	550	1720	1.00	R
221	39,47	372	1313	1.00	R
222	39,50	582	1874	1.00	R
223	39,50	477	1516	1.00	R
224	40,50	467	1533	1.00	R
225	40,50	552	1742	1.00	R
226	40,50	363	1379	1.00	R
227	40,47	580	1995	1.00	R
228	40,47	467	1577	1.00	R
229	40,47	444	1577	1.00	R
230	40,47	550	1742	1.00	R
231	40,47	372	1329	1.00	R
232	40,50	581	1896	1.00	R
233	40,50	476	1533	1.00	R
234	40,50	469	1549	1.00	R
235	40,50	552	1746	1.00	R
236	40,50	365	1395	1.00	R

LEGEND

- C - DENOTES COMMERCIAL
 R - DENOTES RESIDENTIAL

DATED THIS 27th DAY OF
October, 1999.
gwb
 B.C.L.S.

CONDOMINIUM ACT

STRATA PLAN LMS 4050

SCHEDULES

LOT NUMBER	SHEET NUMBER	FORM 1	FORM 2	FORM 3	USE
		SCHEDULE OF UNIT ENTITLEMENT	SCHEDULE OF INTEREST UPON DESTRUCTION	SCHEDULE OF VOTING RIGHTS	
237	40,47	577	2017	1.00	R
238	40,47	467	1593	1.00	R
239	40,47	445	1593	1.00	R
240	40,47	547	1764	1.00	R
241	40,47	374	1348	1.00	R
242	40,50	583	1918	1.00	R
243	40,50	475	1549	1.00	R
244	41,50	481	1566	1.00	R
245	41,50	537	1786	1.00	R
246	41,50	365	1412	1.00	R
247	41,47	578	2039	1.00	R
248	41,47	467	1810	1.00	R
249	41,47	444	1610	1.00	R
250	41,47	544	1788	1.00	R
251	41,47	374	1362	1.00	R
252	41,50	582	1940	1.00	R
253	41,50	478	1566	1.00	R
254	41,50	497	1588	1.00	R
255	41,50	541	1808	1.00	R
256	41,50	364	1434	1.00	R
257	41,47	578	2061	1.00	R
258	41,47	467	1632	1.00	R
259	41,47	433	1632	1.00	R
260	41,47	547	1808	1.00	R
261	41,47	546	1934	1.00	R
262	41,50	808	3188	1.00	R
263	42,50	498	1610	1.00	R
264	42,50	536	1830	1.00	R
265	42,50	368	1456	1.00	R
266	42,47	580	2083	1.00	R
267	42,47	466	1854	1.00	R
268	42,47	436	1854	1.00	R
269	42,47	546	1830	1.00	R
270	42,47	546	1967	1.00	R
271	42,50	809	2913	1.00	R
272	42,50	497	1832	1.00	R
273	42,50	535	1852	1.00	R
274	42,50	370	1478	1.00	R
275	42,47	580	2105	1.00	R
276	42,47	466	1676	1.00	R
277	42,47	446	1676	1.00	R
278	42,47	553	1852	1.00	R
279	42,47	539	2000	1.00	R
280	42,50	807	2968	1.00	R
281	43,50	680	2366	1.00	R
282	43,47	917	3960	1.00	R
283	43,47	488	2090	1.00	R
284	43,47	624	2255	1.00	R
285	43,47	554	2365	1.00	R
286	43,50	872	3455	1.00	R
287	44,50	560	2475	1.00	R
288	44,47	802	3575	1.00	R
289	44,47	453	2200	1.00	R
290	44,47	539	2310	1.00	R
291	44,47,50	649	2475	1.00	R
292	44,50	699	2960	1.00	R
293	44,47	911	2830	1.00	R
294	44,47	511	2420	1.00	R
295	44,47	675	2475	1.00	R
AGGREGATE		149974	477666	294.86	

DATED THIS 27th DAY OF
October, 1999.

LEGEND

- C - DENOTES COMMERCIAL
 R - DENOTES RESIDENTIAL

CONDOMINIUM ACTSTRATA PLAN LMS 4050


FILED

LMLMS4050

640408 2001-06-03-11.46.11.744426

OWNER :AMACON-ONNI MANAGEMENT INC.
INC. NO. 477493


 AUTHORIZED SIGNATORY INNOCENZO DE COTIS


 AUTHORIZED SIGNATORY PETER RAY

WITNESS AS TO BOTH SIGNATURES
PETER RAYMON
 1300 - 777 DUNSMUIR STREET
 VANCOUVER, B.C. V7Y 1K2

OCCUPATION OF WITNESS

LAWYER


ADDRESS OF WITNESS

MORTGAGEE :

THE BANK OF NOVA SCOTIA BY ITS DULY APPOINTED ATTORNEY


 AUTHORIZED SIGNATORY COLIN DAVID WRIGHT D.F. AC006194 C/I B765352

COIN DAVID WRIGHT-VICE PRESIDENT, CREDIT OF THE BRITISH COLUMBIA AND YUKON REGIONAL OFFICE
 AUTHORIZED SIGNATORY


 WITNESS AS TO BOTH SIGNATURES DOREEN KRUPP

SECRETARY

OCCUPATION OF WITNESS
 650 W. GEORGIA ST. 24TH FLOOR
 VANCOUVER, B.C. V6B 4N7


ADDRESS OF WITNESS

STATUTORY DECLARATION

I, THE UNDERSIGNED DO SOLEMNLY DECLARE THAT:

- 1) I, THE UNDERSIGNED AM THE DULY AUTHORIZED AGENT OF THE OWNER / DEVELOPER.
- 2) THE STRATA PLAN IS FOR RESIDENTIAL AND COMMERCIAL USE.

I MAKE THIS SOLEMN DECLARATION CONSCIENTIOUSLY BELIEVING IT TO BE TRUE AND KNOWING IT IS OF THE SAME FORCE AND EFFECT AS IF MADE UNDER OATH.


INNOCENZO DE COTIS

DECLARED BEFORE ME AT VANCOUVER
IN THE PROVINCE OF BRITISH COLUMBIATHIS 2ND DAY OF NOVEMBER, 1999.


PETER RAY

A COMMISSIONER FOR TAKING AFFIDAVITS WITHIN THE PROVINCE OF BRITISH COLUMBIA

ACCEPTED AS TO FORMS 1,2 AND 3.

THIS 19TH DAY OF NOVEMBER, 1999.


PETER RAY

FOR SUPERINTENDENT OF REAL ESTATE

NEW DEVELOPMENT CERTIFICATE

I, J. NEIL BENNETT OF NORTH VANCOUVER A BRITISH COLUMBIA LAND SURVEYOR, HEREBY CERTIFY THAT THE BUILDING SHOWN IN THIS STRATA PLAN HAS

NOT AS OF THE 27TH DAY OF OCTOBER, 1999,
BEEN PREVIOUSLY OCCUPIED,DATED THIS 27TH DAY OF OCTOBER, 1999.


J. NEIL BENNETT

B.C.L.S.

SHEET 10 OF 52 SHEETS

PARKING LEVEL FOUR FLOOR PLAN

SOUTH PORTION

Scale 1:200

4
2
0
5
10


ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

STRATA PLAN LMS 4050

PARKING C

JOINS TO SHEET 11

A



A'

LEGEND

(C) - COMMON PROPERTY

FILE: C:\PK3\ST1878-2F.DWG

DATED THIS 27th DAY OF
October, 1999.
JMB
B.C.I.S.

PARKING LEVEL FOUR FLOOR PLAN

NORTH PORTION


Scale 1:200

4
2
0
5
10

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

STRATA PLAN LMS 4050

SHEET 11 OF 52 SHEETS



LEGEND

(C) - COMMON PROPERTY

FILE: C:\PK3\ST11878-2F.DWG

DATED THIS 27th DAY OF
October, 1999.
JMB
B.C.L.S.


PARKING LEVEL THREE FLOOR PLAN

SOUTH PORTION

Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

STRATA PLAN LMS 4050



DATED THIS 27th DAY OF
October, 1999.

LEGEND
C - COMMON PROPERTY
FILE: C:\PK3\ST1878-2F.DWG

B.C.L.S.

PARKING LEVEL THREE FLOOR PLAN


NORTH PORTION

Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.
4
2
0
5
10

SHEET 13 OF 52 SHEETS

STRATA PLAN LMS 4050



DATED THIS 27th DAY OF
October, 1999.

JMB


LEGEND
© - COMMON PROPERTY
FILE: C:\PK3\ST11878-2F.DWG

PARKING LEVEL TWO FLOOR PLAN

SOUTH PORTION

Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.
4
2
0
5
10



STRATA PLAN LMS 4050

LEGEND

(C) - COMMON PROPERTY

FILE: C:\PK3\ST11878-2F.DWG

DATED THIS 27th DAY OF
October, 1999.

Johns
B.C.L.S.

PARKING LEVEL TWO FLOOR PLAN


NORTH PORTION

4
2
0
5
10



STRATA PLAN LMS 4050

SHEET 15 OF 52 SHEETS



DATED THIS 27 DAY OF

RECEIVED THIS 27th DAY OF
October, 1999.

LEGEND

C - COMMON PROPERTY

PARKING LEVEL ONE FLOOR PLAN
SOUTH PORTION


SOUTH PORTION

Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

STRATA PLAN LMS 4050

SHEET 16 OF 52 SHEETS



JOINS TO SHEET 17

DATED THIS 27th DAY OF

LEGEND

FILE: C:\PK3\ST11878-2F.DWG © - COMMON PROPERTY

PARKING LEVEL ONE FLOOR PLAN


NORTH PORTION

Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.



STRATA PLAN LMS 4050



LEGEND
© - COMMON PROPERTY
FILE: C:\PK3\ST11878-2F.DWG

LEVEL ONE FLOOR PLANS
SOUTH PORTION

SOUTH KOREA

Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR
SL 10 AND SL 11 SEE DETAIL 'A' ON
SHEET 27.


ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

<u>LEGEND</u>	
A	- DENOTES AREA
SL	- DENOTES STRATA LOT
m ²	- DENOTES SQUARE METRES
(E)	- DENOTES ELECTRICAL COMMON PROPERTY
LCP	- DENOTES LIMITED COMMON PROPERTY
□	- DENOTES STANDARD LEAD PLUG PLACED
WT	- DENOTES WITNESS

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

SHEET 18 OF 52 SHEETS

STRATA PLAN LMS 4050



DATED THIS 27th DAY OF

ENTERED THIS 27th DAY OF
October, 1999.

FILE: C:\PK3\ST11878-3F.DWG

LEVEL ONE FLOOR PLANS


NORTH PORTION

Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'B' ON
SHEET 27.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

STRATA PLAN LMS 4050LEGEND

- A - DENOTES AREA
- SL - DENOTES STRATA LOT
- m² - DENOTES SQUARE METRES
- (C) - COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY

DATED THIS 27th DAY OF
October, 1999.

J.W.J.
B.C.L.S.

LEVEL TWO FLOOR PLANS

NORTH PORTION

Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.


STRATA PLAN LMS 4050

RECREATIONAL (C) AREA

ROOF (C)

RECREATIONAL (C) AREA

A' B'

DATED THIS 27th DAY OFOctober, 1999.


LEVEL THREE FLOOR PLANS

SOUTH PORTION

Scale 1:200

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

STRATA PLAN LMS 4050

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF
October, 1999.

JMB
B.C.L.S.
FILE: C:\PK3\ST11878-3F.DWG

LEGEND

- A - DENOTES AREA
- SL - DENOTES STRATA LOT
- m² - DENOTES SQUARE METRES
- C - COMMON PROPERTY
- M - DENOTES MECHANICAL COMMON PROPERTY
- E - DENOTES ELECTRICAL COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY
- (B22) - DENOTES BALCONY LCP FOR SL 22 (TRP.)
- PT - DENOTES PART

LEVEL THREE FLOOR PLANS


NORTH PORTION

Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.
STRATA PLAN LMS 4050OUTLINE OF
FLOOR BELOW

A

A'

**LEGEND**

- A - DENOTES AREA
- PT - DENOTES PART
- SL - DENOTES STRATA LOT
- m² - DENOTES SQUARE METRES
- (C) - COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY

PURSUANT TO SECTION 6 (1)

OF THE CONDOMINIUM ACT:

STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.DATED THIS 27th DAY OFOctober, 1999.

LEVEL FOUR FLOOR PLANS

SOUTH PORTION

Scale 1:200



ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.


OUTLINE OF
FLOOR BELOW

A

A'

B

B'



DATED THIS 27th DAY OF
October, 1999.


John B
B.C.L.S.

LEVEL FOUR FLOOR PLANS
NORTH PORTION
Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

STRATA PLAN LMS 4050

SHEET 25 OF 52 SHEETS



LEGEND

- A — DENOTES AREA
- PT — DENOTES PART
- SL — DENOTES STRATA LOT
- m² — DENOTES SQUARE METRES
- (C) — COMMON PROPERTY
- LCP — DENOTES LIMITED COMMON PROPERTY
- (R32) — DENOTES ROOF DECK LCP FOR SL 32 (TYP.)

PURSUANT TO SECTION 6 (1) OF THE CONDOMINIUM ACT:
 STRATA LOTS ARE DEFINED
 TO CENTERLINE OF PARTY
 WALLS AND OUTSIDE OF
 EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF
October, 1999.


LEVEL FIVE FLOOR PLANS

Scale 1:200

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.



DETAILS

Scale 1:200


ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.
TYPICAL BEARINGS,
AND CURVE DATA FOR
LEVEL 1 AND 2

DETAIL 'A'

TYPICAL BEARINGS,
AND CURVE DATA FOR
SL10 AND SL11.

DETAIL 'B'

TYPICAL BEARINGS,
AND CURVE DATA FOR
LEVEL 1 AND 2

STRATA PLAN LMS 4050



DATED THIS 27th DAY OF
October, 1999.

DETAILS

Scale 1:200



ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

DETAIL 'C'TYPICAL BEARINGS,
AND CURVE DATA FOR
LEVEL 3 TO LEVEL 26**DETAIL 'D'**TYPICAL BEARINGS,
AND CURVE DATA FOR
LEVEL 27 TO LEVEL 29LEGEND

(C) - COMMON PROPERTY

FILE: C:\PK3\ST11878-3.DWG

STRATA PLAN LMS 4050

FILED LMLMS4050 640408 2001-06-03-11.46.11.744426

DATED THIS 27th DAY OF
October, 1999.
JMB
 B.C.L.S.

DETAILS

Scale 1:200





ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

STRATA PLAN LMS 4050

FILED

LMMS4050

640408 2001-06-03-11.46.11.744426

DETAIL 'E'TYPICAL BEARINGS,
AND CURVE DATA FOR
LEVEL 30**DETAIL 'F'**TYPICAL BEARINGS,
AND CURVE DATA FOR
LEVEL 31LEGEND

(C) - COMMON PROPERTY


FILE: C:\PK3\ST11878-3.DWG

DATED THIS 27th DAY OF
October, 1999.
[Signature]
 B.C.L.S.


DETAILS

STRATA PLAN LMS 4050


Scale 1:200

**DETAIL 'G'**

TYPICAL BEARINGS,
AND CURVE DATA FOR
LEVEL 32 AND ROOF LEVEL

**DETAIL 'H'**

TYPICAL BEARINGS,
AND CURVE DATA FOR
ELEVATOR MACHINE ROOM LEVEL

LEGEND

(C) - COMMON PROPERTY

FILE: C:\PK3\ST11878-3.DWG

DATED THIS 27th DAY OF
October, 1999.
QMB
B.C.L.S.

FLOOR PLANS

STRATA PLAN LMS 4050

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL SIX


FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

LEVEL SEVEN

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

LEGEND

- A - DENOTES AREA
- SL - DENOTES STRATA LOT
- m² - DENOTES SQUARE METRES
- (C) - COMMON PROPERTY
- (M) - DENOTES MECHANICAL COMMON PROPERTY
- (E) - DENOTES ELECTRICAL COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY
- (B22) - DENOTES BALCONY LCP FOR SL 22 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF
October, 1999.

B.C.L.S.

FLOOR PLANS

STRATA PLAN LMS 4050

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL EIGHT


FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

LEVEL NINE

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



LEGEND

- A — DENOTES AREA
- SL — DENOTES STRATA LOT
- m² — DENOTES SQUARE METRES
- (C) — COMMON PROPERTY
- (M) — DENOTES MECHANICAL COMMON PROPERTY
- (E) — DENOTES ELECTRICAL COMMON PROPERTY
- LCP — DENOTES LIMITED COMMON PROPERTY
- (B22) — DENOTES BALCONY LCP FOR SL 22 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF

October

, 1999 .

JB

FLOOR PLANSSTRATA PLAN LMS 4050

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL TEN


FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

LEVEL ELEVEN

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

TO BE 90° UNLESS
OTHERWISE SHOWN.

LEGEND

- A - DENOTES AREA
- SL - DENOTES STRATA LOT
- m² - DENOTES SQUARE METRES
- (C) - COMMON PROPERTY
- (M) - DENOTES MECHANICAL COMMON PROPERTY
- (E) - DENOTES ELECTRICAL COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY
- (B22) - DENOTES BALCONY LCP FOR SL 22 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF

October, 1999.

B.C.L.S.

FLOOR PLANS

STRATA PLAN LMS 4050

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL TWELVE


FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

LEVEL THIRTEEN

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



LEGEND

- A - DENOTES AREA
- SL - DENOTES STRATA LOT
- m² - DENOTES SQUARE METRES
- (C) - COMMON PROPERTY
- (M) - DENOTES MECHANICAL COMMON PROPERTY
- (E) - DENOTES ELECTRICAL COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY
- - DENOTES STANDARD LEAD PLUG PLACED
- WT - DENOTES WITNESS
- (B22) - DENOTES BALCONY LCP FOR SL 22 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OFOctober, 1999.1993

B.C.L.S.

FLOOR PLANSSTRATA PLAN LMS 4050

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL FOURTEEN


FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

LEVEL FIFTEEN

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

LEGEND

- A - DENOTES AREA
- SL - DENOTES STRATA LOT
- m² - DENOTES SQUARE METRES
- (C) - COMMON PROPERTY
- (M) - DENOTES MECHANICAL COMMON PROPERTY
- (E) - DENOTES ELECTRICAL COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY
- - DENOTES STANDARD LEAD PLUG PLACED
- WT - DENOTES WITNESS
- (B22) - DENOTES BALCONY LCP FOR SL 22 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF

October, 1999.

gab

FLOOR PLANS

STRATA PLAN LMS 4050


Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL SIXTEEN

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.


ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



LEVEL SEVENTEEN

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



LEGEND

- A - DENOTES AREA
- SL - DENOTES STRATA LOT
- m² - DENOTES SQUARE METRES
- (C) - COMMON PROPERTY
- (M) - DENOTES MECHANICAL COMMON PROPERTY
- (E) - DENOTES ELECTRICAL COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY
- (B22) - DENOTES BALCONY LCP FOR SL 22 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF

October, 1999.
gab

FLOOR PLANS

STRATA PLAN LMS 4050

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL EIGHTEEN

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.


ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



LEVEL NINETEEN

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



LEGEND

- A - DENOTES AREA
- SL - DENOTES STRATA LOT
- m² - DENOTES SQUARE METRES
- (C) - COMMON PROPERTY
- (M) - DENOTES MECHANICAL COMMON PROPERTY
- (E) - DENOTES ELECTRICAL COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY
- - DENOTES STANDARD LEAD PLUG PLACED
- WT - DENOTES WITNESS
- (B22) - DENOTES BALCONY LCP FOR SL 22 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF

October

, 1999


JMB

B.C.L.S.

FLOOR PLANS

STRATA PLAN LMS 4050

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL TWENTY


FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

LEVEL TWENTY-ONE

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

LEGEND

- A — DENOTES AREA
- SL — DENOTES STRATA LOT
- m^2 — DENOTES SQUARE METRES
- (C) — COMMON PROPERTY
- (M) — DENOTES MECHANICAL COMMON PROPERTY
- (E) — DENOTES ELECTRICAL COMMON PROPERTY
- LCP — DENOTES LIMITED COMMON PROPERTY
- — DENOTES STANDARD LEAD PLUG PLACED
- WT — DENOTES WITNESS
- (B22) — DENOTES BALCONY LCP FOR SL 22 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF
October, 1999.

gub

B.C.L.S.

FLOOR PLANS

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL TWENTY-TWO

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.


ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



LEVEL TWENTY-THREE

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



LEGEND

- A — DENOTES AREA
- SL — DENOTES STRATA LOT
- m² — DENOTES SQUARE METRES
- (C) — COMMON PROPERTY
- (M) — DENOTES MECHANICAL COMMON PROPERTY
- (E) — DENOTES ELECTRICAL COMMON PROPERTY
- LCP — DENOTES LIMITED COMMON PROPERTY
- (B22) — DENOTES BALCONY LCP FOR SL 22 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OFOctober, 1999.JMB

B.C.L.S.

FLOOR PLANS

STRATA PLAN LMS 4050

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL TWENTY-FOUR

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.


ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



LEVEL TWENTY-FIVE

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



LEGEND

- A — DENOTES AREA
- SL — DENOTES STRATA LOT
- m² — DENOTES SQUARE METRES
- (C) — COMMON PROPERTY
- (M) — DENOTES MECHANICAL COMMON PROPERTY
- (E) — DENOTES ELECTRICAL COMMON PROPERTY
- LCP — DENOTES LIMITED COMMON PROPERTY
- (B22) — DENOTES BALCONY LCP FOR SL 22 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OFOctober, 1999.JMB

B.C.L.S.

FLOOR PLANS

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL TWENTY-SIX

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'C' ON
SHEET 28.


ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



LEVEL TWENTY-SEVEN

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'D' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



LEGEND

- A - DENOTES AREA
- SL - DENOTES STRATA LOT
- m² - DENOTES SQUARE METRES
- (C) - COMMON PROPERTY
- (M) - DENOTES MECHANICAL COMMON PROPERTY
- (E) - DENOTES ELECTRICAL COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY
- - DENOTES STANDARD LEAD PLUG PLACED
- WT - DENOTES WITNESS
- (B22) - DENOTES BALCONY LCP FOR SL 22 (TYP.)
- (R32) - DENOTES ROOF DECK LCP FOR SL 32 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF
October, 1999.
JMB
B.C.L.S.

FLOOR PLANS

STRATA PLAN LMS 4050

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL TWENTY-EIGHT


FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'D' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

LEVEL TWENTYNINE

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'D' ON
SHEET 28.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



LEGEND

- A - DENOTES AREA
- SL - DENOTES STRATA LOT
- m² - DENOTES SQUARE METRES
- (C) - COMMON PROPERTY
- (M) - DENOTES MECHANICAL COMMON PROPERTY
- (E) - DENOTES ELECTRICAL COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY
- - DENOTES STANDARD LEAD PLUG PLACED
- WT - DENOTES WITNESS
- (B22) - DENOTES BALCONY LCP FOR SL 22 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF

October, 1999.

gmb

FLOOR PLANS

STRATA PLAN LMS 4050

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL THIRTY


FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'E' ON
SHEET 29.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.



DETAIL

Not To Scale



LEGEND

- A - DENOTES AREA
- SL - DENOTES STRATA LOT
- m² - DENOTES SQUARE METRES
- (C) - COMMON PROPERTY
- (M) - DENOTES MECHANICAL COMMON PROPERTY
- (E) - DENOTES ELECTRICAL COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY
- - DENOTES STANDARD LEAD PLUG PLACED
- WT - DENOTES WITNESS
- (B22) - DENOTES BALCONY LCP FOR SL 22 (TYP.)
- (R32) - DENOTES ROOF DECK LCP FOR SL 32 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT,
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF
October, 1999.

[Handwritten signature]

B.C.L.S.

FLOOR PLANSSTRATA PLAN LMS 4050

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEVEL THIRTY-ONE


FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'F' ON
SHEET 29.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

LEVEL THIRTY-TWO

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'G' ON
SHEET 30.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

LEGEND

- A - DENOTES AREA
- SL - DENOTES STRATA LOT
- m² - DENOTES SQUARE METRES
- (C) - COMMON PROPERTY
- (M) - DENOTES MECHANICAL COMMON PROPERTY
- (E) - DENOTES ELECTRICAL COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY
- - DENOTES STANDARD LEAD PLUG PLACED
- WT - DENOTES WITNESS
- (B22) - DENOTES BALCONY LCP FOR SL 22 (TYP.)

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OFOctober, 1999.guyB

B.C.L.S.

FLOOR PLANSSTRATA PLAN LMS 4050

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

ROOF LEVEL


FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'G' ON
SHEET 30.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

ELEVATOR MACHINE ROOM LEVEL

FOR TYPICAL BEARINGS,
AND CURVE DATA FOR THIS
LEVEL SEE DETAIL 'H' ON
SHEET 30.

ALL ANGLES ARE ASSUMED
TO BE 90° UNLESS
OTHERWISE SHOWN.

LEGEND

- A - DENOTES AREA
- SL - DENOTES STRATA LOT
- m^2 - DENOTES SQUARE METRES
- (C) - COMMON PROPERTY
- (M) - DENOTES MECHANICAL COMMON PROPERTY
- (E) - DENOTES ELECTRICAL COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY
- - DENOTES STANDARD LEAD PLUG PLACED
- WT - DENOTES WITNESS

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF
October, 1999.

[Signature]

B.C.L.S.

FLOOR PLANSSTRATA PLAN LMS 4050



Scale 1:200



FILED

LMLMS4050

G40408 2001-06-03-11.46.11.744426

ELEVATOR MACHINE ROOM ROOF LEVELLEGEND

(C) -- COMMON PROPERTY

FILE: C:\PK3\ST11878-3.DWG

PURSUANT TO SECTION 6 (1)
OF THE CONDOMINIUM ACT:
STRATA LOTS ARE DEFINED
TO CENTERLINE OF PARTY
WALLS AND OUTSIDE OF
EXTERIOR AND INTERIOR WALLS.

DATED THIS 27th DAY OF
October, 1999
JMB
B.C.L.S.


SECTION A TO A'

STRATA PLAN LMS 4050

Scale 1:200



ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

**LEGEND**

SL - DENOTES STRATA LOT

(C) - COMMON PROPERTY

LCP - DENOTES LIMITED COMMON PROPERTY

DATED THIS 27th DAY OFOctober, 1999.gab

SECTION A TO A'

STRATA PLAN LMS 4050

Scale 1:200




ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

FILED

LMLMS4050

G40408 2001-06-03-11.46.11.744426

CONTINUES UP
TO LEVEL ELEVEN
(SEE SHEET 47)

LEGEND

- SL — DENOTES STRATA LOT
(C) — COMMON PROPERTY

DATED THIS 27th DAY OF
October, 1999.


B.C.L.S.

SECTION A TO A'

Scale 1:200

4
2
0
5
10

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

STRATA PLAN LMS 4050LEGEND

(C) - COMMON PROPERTY


FILE: C:\PK3\ST1187B-3F.DWG

DATED THIS 27th DAY OF
October, 1999.
John


B.C.L.S.

SECTION B TO B'STRATA PLAN LMS 4050

Scale 1:200



ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

LEGEND

- | | | | |
|-----|----------------------|-------|--|
| SL | - DENOTES STRATA LOT | LCP | - DENOTES LIMITED COMMON PROPERTY |
| (C) | - COMMON PROPERTY | (B22) | - DENOTES BALCONY LCP FOR SL 22 (TYP.) |
| | | (R32) | - DENOTES ROOF DECK LCP FOR SL 32 (TYP.) |

ELEVATOR MACHINE
ROOM LEVELROOF LEVELLEVEL THIRTY-TWOLEVEL THIRTY-ONELEVEL THIRTYLEVEL TWENTY-NINELEVEL TWENTY-EIGHTLEVEL TWENTY-SEVENLEVEL TWENTY-SIXLEVEL TWENTY-FIVELEVEL TWENTY-FOURLEVEL TWENTY-THREELEVEL TWENTY-TWOLEVEL TWENTY-ONELEVEL TWENTYLEVEL NINETEENLEVEL EIGHTEENLEVEL SEVENTEENLEVEL SIXTEENLEVEL FIFTEENLEVEL FOURTEENLEVEL THIRTEENLEVEL TWELVELEVEL ELEVENDATED THIS 27th DAY OFOctober, 1999.gab

B.C.L.S.

SECTION B TO B'STRATA PLAN LMS 4050

Scale 1:200



CONTINUES UP TO LEVEL ELEVEN (SEE SHEET 50)				
SL 86	SL 85	SL 84	SL 93	SL 92
SL 76	SL 75	SL 74	SL 83	SL 82
SL 66	SL 65	SL 64	SL 73	SL 72
SL 56	SL 55	SL 54	SL 63	SL 62
SL 46	SL 45	SL 44	SL 53	SL 52
SL 36	SL 35	SL 34	SL 43	SL 42
SL 28	SL 27	SL 26	SL 33	SL 32
SL 24	SL 23	SL 22	SL 25	MEETING ROOM PT
SL11		CORRIDOR (C)	SL10	SL21
			CORRIDOR LCP FOR SL'S 1 - 11	SL9
RESIDENTIAL (C) STORAGE	(C)	ELECTRICAL (C) ROOM	ELECTRICAL (C) ROOM	PARKING (C)
RESIDENTIAL (C) STORAGE			RESIDENTIAL (C) STORAGE	PARKING (C)
RESIDENTIAL (C) STORAGE			RESIDENTIAL (C) STORAGE	PARKING (C)

LEVEL TENLEVEL NINELEVEL EIGHTLEVEL SEVENLEVEL SIXLEVEL FIVELEVEL FOURLEVEL THREELEVEL TWOLEVEL ONEPARKING LEVEL ONEPARKING LEVEL TWOPARKING LEVEL THREE

SHEET 51 OF 52 SHEETS TO

LEGEND

- SL - DENOTES STRATA LOT
- (C) - COMMON PROPERTY
- LCP - DENOTES LIMITED COMMON PROPERTY
- (R32) - DENOTES ROOF DECK LCP FOR SL 32 (TYP.)

SECTION B TO B'


Scale 1:200

ALL DISTANCES ARE IN METRES AND DECIMALS THEREOF.

STRATA PLAN LMS 4050

SHEET 52 OF 52 SHEETS

JOINS TO SHEET 51



LEVEL FOUR
LEVEL THREE
LEVEL TWO

LEVEL ONE

PARKING LEVEL ONE

PARKING LEVEL TWO

PARKING LEVEL THREE

PARKING (C)

PARKING (C)

PARKING (C)

LEGEND

SL - DENOTES STRATA LOT

(C) - COMMON PROPERTY

LCP - DENOTES LIMITED COMMON PROPERTY

(R32) - DENOTES ROOF DECK LCP FOR SL 32 (M.P.)

FILE: C:\PK3\ST11878-3F.DWG

DATED THIS 27th DAY OF

OCTOBER, 1999.

B.C.L.S.